Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	132	("serial port" same IRQ) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:46
L7	0	("serial port" same IRQ same "first bus") and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 09:55
L8	0	("optical port" same IRQ) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 10:46
L9	28	(optic$2 same IRQ) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:42
L10	960	(710/260.ccls.) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:42
L11	120	(710/220.ccls.) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:42
L12	144	(710/269.ccls.) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:44
L13	233	(710/241.ccls.) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:45
L14	260	(710/264.ccls.) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:46

L15	526	(710/113.ccls.) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:46
S1	0	(((optical copper) with transceiver) and (shared near3 (interrupt IRQ))) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 15:31
S2	8636	(((optical copper) with transceiver)) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 15:31
S3	1555	(shared with (interrupt irq)) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 15:31
S4	0	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 15:31
S5	612	(((optical copper) with transceiver) and ((interrupt IRQ))) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 15:32
S6	43	(((optical copper) with transceiver) same ((interrupt IRQ))) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 08:41
S7	86	((transceiver) same (IRQ)) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 10:32
S8	24	(shared same poll$3 same (IRQ)) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:09
S9	312	(shar$3 same poll$3 same interrupt) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:10

S10	319	(shar$3 same poll$3 same (interrupt IRQ)) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:11
S11	295	S10 not S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:10
S12	179	(shar$3 with (interrupt IRQ) same poll$3) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:41
S13	160	S12 not S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 11:11
S14	2	((first with ("sub bus" subbus sub-bus)) same (second with ("sub bus" subbus sub-bus)) same irq1 same irq2) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:21
S15	1	(transceiver same irq1 same irq2) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:46
S16	0	("first interface" same "second interface" same irq1 same irq2) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 12:47
S17	144	(irq1 same irq2) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 13:23
S20	215	(inta same intb) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 13:25
S21	0	(inta same intb same transceiver) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 13:25

S22	98	(inta same intb same interface) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 13:27
S23	0	(inta same intb same (subbus sub-bus "sub bus")) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 13:28
S24	33	(inta same intb and (subbus sub-bus "sub bus")) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 13:28
S25	10859	((first with ("sub bus" subbus sub-bus)) same (second with ("sub bus" subbus sub-bus)) same (irq int interrupt)) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:18
S26	90	((first with ("sub bus" subbus sub-bus)) same (second with ("sub bus" subbus sub-bus))) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:18
S27	10859	((first with ("sub bus" subbus sub-bus)) same (second with ("sub bus" subbus sub-bus)) same (irq int interrupt)) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:19
S28	10857	((first with ("sub bus" subbus sub-bus)) same (second with ("sub bus" subbus sub-bus)) same (irq interrupt)) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:18
S29	90	((first with ("sub bus" subbus sub-bus)) same (second with ("sub bus" subbus sub-bus))) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:19
S30	90	((first with ("sub bus" subbus sub-bus)) same (second with ("sub bus" subbus sub-bus))) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:20
S31	151	((first with ("sub bus" subbus sub-bus)) same (second with ("sub bus" subbus sub-bus)) same irq) and @ad<"""20031210"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:20

S32	151	((first with ("sub bus" subbus sub-bus)) same (second with ("sub bus" subbus sub-bus)) same irq) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:28
S33	182	(("first bus" same (interrupt int irq)) and ("second bus" same (interrupt int irq))) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:53
S34	70	((sub-bus same (interrupt int irq))) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:53
S35	125	(((sub-bus "bus segment") same (interrupt int irq))) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/11 14:55
S36	438	(((hub) with (interrupt int irq))) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 07:07
S37	0	(("first bus" with irq1) same ("second bus" with irq2)) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 07:08
S38	0	(("first bus" with irq1) and ("second bus" with irq2)) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 07:08
S39	0	(("first bus" with irq) and ("second bus" with irq)) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 07:08
S40	0	(("first bus" with iterrupt) and ("second bus" with interrupt)) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 07:09
S41	92	(("first bus" with interrupt) and ("second bus" with interrupt)) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 07:09

S42	76	(("first bus" with interrupt) same ("second bus" with interrupt)) and @ad<"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 09:53
S43	652	719/318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 09:53